
## PRODUCT DATA SHEET VKC5613

# ducting express

**ROUND TO RECTANGULAR ADAPTOR** 





#### SPECIFICATION DETAILS

The VKC5613 204x60mm to 125mm diameter Straight Round to Rectangular Adaptor is manufactured from (white) High Impact Polystyrene. The 204x60mm rectangular end has a minimum free area of 11,452mm² with a female adaptor for connection outside of the System 204 duct. The 125mm diameter round end has a minimum free area of 12,266mm² and fits over the male spigot of the System 125 fitings.

The VKC5613 is fully compliant with SAP Appendix Q Product Characteristics Database recommendations for duct sizes used with both extract and Mechanical Heat Recovery Systems.

VKC5613 is manufactured in compliance with Domestic Plastic Ductwork Specification DW/154 and does meet UL94HB flammability standard.

VKC5613 has been designed for use with Verplas System 204.

Manufacturer:	Verplas Ltd
Part Number:	VKC5613
Size:	204mm x 60mm to 125mm Diameter
For use with:	Verplas System 204
MAX/MIN OPERATING TEMPERATURES	+ 60°C to - 15°C
Individual Weight:	180g
Colour:	White

#### PERFORMANCE CURVE 100 80 70 Pressure 50 Loss **Pascals** 40 (Pa) 30 10 0 50 100 150 Air Flow rate

AIRFLOW	RESISTANCE
8 l/s	0 pa
13 l/s	0.88 pa
21 l/s	2.40 pa
30 l/s	3.84 pa
60 l/s	15.41 pa
120 l/s	61.86 pa

### **Associated Ancillaries**







Ducting Express Services Ltd 01455 616 444 www.ducting-express.co.uk



